

# LABORHITS

## LLG-Microbiological Monitors and Analytical Funnels

**For the filtration of microbiological samples**

**Ready-to-use and sterile**


**Nitrocellulose membrane**



LLG-Microbiological Monitors and Analytical funnels provide a ready-to-use solution for the filtration of liquid samples using a manifold. No need for flaming or sterilization, reduces the testing time up to 70 %. For monitoring contaminants in all types of samples, from raw materials to finished products. Adapter for use with a manifold is included.

### LLG-Microbiological Monitors, sterile

- The membrane is fixed to the unit
- The filtration unit easily converts to a Petri Dish



| Capacity ml | Diam. mm | Pore size $\mu\text{m}$ | Colour Filter / Grid | PK | Cat. No.         |
|-------------|----------|-------------------------|----------------------|----|------------------|
| 100         | 56       | 0.45                    | white / black        | 50 | <b>6.268 182</b> |
| 100         | 56       | 0.45                    | black / white        | 50 | <b>6.268 183</b> |
| 100         | 56       | 0.80                    | black / white        | 50 | <b>6.268 184</b> |
| 100         | 56       | 0.20                    | white / black        | 50 | <b>6.268 185</b> |
| 100         | 47       | 0.45                    | white / black        | 50 | <b>6.268 186</b> |
| 100         | 47       | 0.45                    | white / black*       | 50 | <b>6.268 187</b> |
| 100         | 47       | 0.45                    | black / white        | 50 | <b>6.268 188</b> |
| 100         | 47       | 0.80                    | black / white        | 50 | <b>6.268 189</b> |

\* single packed

### LLG-Analytical funnels, sterile

- Removable membrane
- The membrane can be transferred, e.g. to a Petri Dish



| Volumen ml | Diam. mm | Pore size $\mu\text{m}$ | Colour Filter / Grid | PK | Cat. No.         |
|------------|----------|-------------------------|----------------------|----|------------------|
| 100        | 47       | 0.45                    | white / black        | 50 | <b>6.268 176</b> |
| 100        | 47       | 0.45                    | white / black*       | 50 | <b>6.268 177</b> |
| 100        | 47       | 0.20                    | white / black        | 50 | <b>6.268 178</b> |
| 100        | 47       | 0.20                    | white / black*       | 50 | <b>6.268 181</b> |
| 100        | 47       | 0.45                    | black / white        | 50 | <b>6.268 179</b> |
| 100        | 47       | 0.45                    | black / white*       | 50 | <b>6.268 180</b> |

\* single packed

### LLG-vacuum manifold, stainless steel

Multi-branch vacuum manifolds ideal for microbiological monitors and analytical funnels filtration using a perforated no. 8 stopper. The system includes stainless steel manifold with valves, perforated no. 8 stoppers and tubing adaptor for microbiological monitors and analytical funnels.

| Description                      | PK | Cat. No.         |
|----------------------------------|----|------------------|
| 3-place stainless steel manifold | 1  | <b>6.269 118</b> |
| 6-place stainless steel manifold | 1  | <b>6.269 119</b> |



Fits to: